## NSN 3020-00-937-8455

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-937-8455

Body Style:					
Plain, solid					
Pitch Diameter:					
0.6250 inches					
Teeth Quantity:					
20					
Bore Style:					
Plain both ends					
Backlash Designation:					
Grade c					
Outside Diameter:					
0.688 inches					
Tooth Form:					
Standard					
Pressure Angle:					
20.0000 degrees					
Distance Between Body Face And Protruding Hub End:					
0.220 inches first end					
Face Width:					
0.180 inches					
Bore Diameter:					
0.250 inches both ends					
Hub Style Designator:					
1 step first end					
End Length:					
0.120 inches first end					
Precision Classification:					
Quality number 10					
End Diameter:					
0.438 inches first end					
First Step Length:					
0.100 inches first end					
First Step Diameter:					
0.500 inches first end					
Material:					
Steel comp 303					
Material Specification:					
Qq-s-764, type 303, cond a federal specification single material response					
Surface Treatment:					
Passivate					
Surface Treatment Specification:					

Qq-p-35 federal specification single treatment response

## NSN 3020-00-937-8455

Spur Gear - Page 2 of 2



Style Designator:	Sty	le l	Desi	igna	itor:
-------------------	-----	------	------	------	-------

Protruding hub

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300