## NSN 3020-00-937-9926

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-937-9926

## **Body Style:**

Plain, solid

#### **Pitch Diameter:**

Between 1.6657 inches and 1.6667 inches

## Teeth Quantity:

80

## Bore Style:

Plain both ends

#### **Outside Diameter:**

1.708 inches

Tooth Form:

Standard

#### **Pressure Angle:**

20.0000 degrees

Distance Between Body Face And Protruding Hub End:

#### 0.250 inches first end

Face Width:

0.125 inches

#### Bore Diameter:

0.250 inches both ends

#### Hub Style Designator:

Pinned first end

#### Hub Diameter:

0.500 inches first end

## Precision Classification:

Quality number 10 or quality number 11

Material:

Aluminum alloy 2024

#### **Material Specification:**

Qq-a-225/6, t4 federal specification single material response

#### Surface Treatment:

Anodize

#### Surface Treatment Specification:

Mil-f-14072, finish e511 military specification single treatment response

#### Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

---

#### Demilitarization:

No

# NSN 3020-00-937-9926

Spur Gear - Page 2 of 2

Fiig: A27300 Mil-std (military Standard): Mil-f-14072 spec.

