NSN 3020-00-940-6781

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-940-6781

Body Style:

Webbed, offset, solid

Attachment Method:

Mounting hole

Pitch Diameter:

1.2500 inches

Teeth Quantity:

120

Bore Style:

Plain both ends

Backlash Designation:

Grade c

Mounting Hole Type And Quantity:

1 countersunk axially through body, first end

Outside Diameter:

1.268 inches

Tooth Form:

Standard

Pressure Angle:

20.0000 degrees

Distance Between Body Face And Protruding Hub End:

0.250 inches first end

Face Width:

0.062 inches

Bore Diameter:

0.187 inches both ends

Hub Style Designator:

Plain first end

Hub Diameter:

0.562 inches first end

Precision Classification:

Quality number 12

First Groove Width:

0.030 inches second end

First Groove Diameter:

0.261 inches second end

Distance From End To First Groove:

0.030 inches second end

Mounting Hole Diameter:

0.034 inches axially through body, first end

Bolt Hole Circle Diameter:

0.682 inches axially through body, first end

NSN 3020-00-940-6781

Spur Gear - Page 2 of 2

Material:

Aluminum alloy

Surface Treatment:

Anodize

Style Designator:

Protruding hubs

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300

