## NSN 3020-00-941-0270

Sprocket Wheel - Page 1 of 2

**Outside Diameter:** 

1.136 inches



View Online at https://aerobasegroup.com/nsn/3020-00-941-0270

Overall Length:
0.280 inches
Bore Diameter:
0.250 inches
Bore Length:
0.280 inches
Drilled Hole Diameter:
Between 0.062 inches and 0.065 inches
Securing Hole Quantity:
8
Face Width:
0.125 inches
Design Form:
Plain
Bore Type:
Straight
Counterbore Feature:
Not included
Hole Location:
Perpendicular to bore through hub
Keying Facility:
Not included
Securing Method:
Drilled hole
Lightening Hole:
Not included
Protruding Hub Characteristic:
Plain
Securing Location:
Aa end
Teeth Quantity Per Row:
10
Hardness Rating Test Method:
Not rated
Bore Bearing:
Not included
Hub External Keyway:
Not included
Hub End Outside Diameter And Location:
0.500 inches aa end

## **NSN 3020-00-941-0270** Sprocket Wheel - Page 2 of 2

Fiig: T353-c



Distance From Outside Flange/rim To Hub End And Location:
0.155 inches aa end
Material:
Steel, qq-s-763, class 303, cond a
Material:
Steel comp 303
Material Specification:
Qq-s-763, class 303, cond a federal specification single material response
Surface Treatment:
Passivate
Style Designator:
Plain
Surface Treatment:
Passivated, mil-f-14072, e300
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No