

View Online at <https://aerobasegroup.com/nsn/3020-00-941-6015>

Body Style:

Plain, with lightening holes

Attachment Method:

Mounting hole

Pitch Diameter:

3.1875 inches

Teeth Quantity:

102

Bore Style:

Plain both ends

Backlash Designation:

Grade c

Mounting Hole Thread Series Designator:

Unc axially through body, first end

Mounting Hole Thread Qty Per Inch (tpi):

40 axially through body, first end

Mounting Hole Thread Size:

0.112 inches axially through body, first end

Mounting Hole Type And Quantity:

3 threaded axially through body, first end

Outside Diameter:

3.250 inches

Tooth Form:

Standard

Pressure Angle:

20.0000 degrees

Distance Between Body Face And Protruding Hub End:

0.175 inches first end

Face Width:

0.125 inches

Bore Diameter:

0.188 inches both ends

Hub Style Designator:

1 step first end

End Length:

0.062 inches first end

Precision Classification:

Quality number 10 or quality number 11

End Diameter:

0.250 inches first end

First Step Length:

0.113 inches first end

First Step Diameter:

0.375 inches first end

Bolt Hole Circle Diameter:

2.000 inches axially through body, first end

Special Features:

Mtg holes spaced 120 degrees apart

Material:

Copper alloy 675

Material Specification:

Qq-b-728, class a, comp hard /d/ federal specification single material response

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300