## NSN 3020-00-941-6130

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-941-6130

Pady Style:
Body Style: Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
1.1250 inches
Teeth Quantity:
72
Bore Style:
W/counterbore counter bore, second end
Backlash Designation:
Grade e
Mounting Hole Type And Quantity:
2 plain axially through body, first end
Outside Diameter:
1.155 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.413 inches first end
Face Width:
0.103 inches
Bore Diameter:
0.187 inches both ends
Counterbore Depth:
0.118 inches counter bore, second end
Counterbore Diameter:
0.585 inches counter bore, second end
Hub Style Designator:
1 step first end
End Length:
0.330 inches first end
Precision Classification:
Quality number 10
End Diameter:
0.255 inches first end
First Step Length:
0.083 inches first end
First Step Diameter:

0.710 inches first end

## NSN 3020-00-941-6130

Spur Gear - Page 2 of 2



Mounting Hole Diameter:	
0.112 inches axially through body,	first end

**Bolt Hole Circle Diameter:** 

0.376 inches axially through body, first end

Material:

Steel comp 416

**Material Specification:** 

Qq-s-764, cond a federal specification single material response

**Surface Treatment:** 

Passivate

Style Designator:

Protruding hub

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300