NSN 3020-00-943-7461

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-943-7461

Body Style:
Plain, solid
Pitch Diameter:
Between 0.4365 inches and 0.4375 inches
Teeth Quantity:
21
Bore Style:
Plain both ends
Backlash Designation:
Grade c
Outside Diameter:
0.478 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.202 inches first end
Face Width:
0.093 inches
Bore Diameter:
0.187 inches both ends
Hub Style Designator:
Pinned first end
Hub Diameter:
0.375 inches first end
Precision Classification:
Quality number 10
Special Features:
Mtg holes 90 degs apart
Material:
Aluminum alloy 6061
Material Specification:
Qq-a-225/8, t6 federal specification single material response
Surface Treatment:
Anodize hub
Surface Treatment Specification:
Mil-h-8625, type 1 military specification single treatment response body
Style Designator:
Protruding hub
Furnished Items And Quantity:
1 setscrew

NSN 3020-00-943-7461

Spur Gear - Page 2 of 2



Shelf	t Lit	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.