NSN 3020-00-943-9647

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-943-9647

Body Style:
Plain, solid
Pitch Diameter:
Between 1.4990 inches and 1.5000 inches
Teeth Quantity:
72
Bore Style:
Plain both ends
Backlash Designation:
Grade c
Outside Diameter:
1.540 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.202 inches first end
Face Width:
0.063 inches
Bore Diameter:
0.187 inches both ends
Hub Style Designator:
Pinned first end
Hub Diameter:
0.375 inches first end
Precision Classification:
Quality number 10 or quality number 11
Material:
Aluminum alloy 6061
Material Specification:
Qq-a-225/8, t6 federal specification single material response
Surface Treatment:
Anodize
Surface Treatment Specification:
Mil-a-8625, type 1 military specification single treatment response
Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:

--

NSN 3020-00-943-9647

Spur Gear - Page 2 of 2



Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.