NSN 3020-00-944-1423

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-944-1423

Body Style:
Plain, solid
Pitch Diameter:
Between 1.5615 inches and 1.5625 inches
Teeth Quantity:
75
Bore Style:
Plain both ends
Backlash Designation:
Grade c
Outside Diameter:
1.603 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.282 inches first end
Face Width:
0.093 inches
Bore Diameter:
0.187 inches both ends
Hub Style Designator:
1 step first end
End Length:
0.245 inches first end
Precision Classification:
Quality number 10
End Diameter:
0.250 inches first end
First Step Length:
0.903 inches first end
First Step Diameter:
0.375 inches first end
Material:
Aluminum alloy 6061
Material Specification:
Qq-a-225/8, t6 federal specification single material response
Surface Treatment:
Anodize
Surface Treatment Specification:

Mil-a-8625, type 1 military specification single treatment response

NSN 3020-00-944-1423

Spur Gear - Page 2 of 2



Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
 Demilitarization:
Demilitarization:

Mil-std (military Standard):

Mil-a-8625 spec.