NSN 3020-00-944-6815

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-944-6815

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
0.6250 inches
Teeth Quantity:
60
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Mounting Hole Thready Qty Per Inch (tpi):
56 transversely through hub, first end
Mounting Hole Thread Size:
0.086 inches transversely through hub, first end
Mounting Hole Type And Quantity:
2 plain transversely through hub, first end and 1 threaded transversely through hub, first end
Outside Diameter:
0.645 inches
Nominallength:
0.250 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.180 inches first end
Face Width:
0.070 inches
Bore Diameter:
0.125 inches both ends
Hub Style Designator:
Pinned first end
Hub Diameter:
0.290 inches first end
Precision Classification:
Quality number 12
Mounting Hole Diameter:
0.052 inches transversely through hub, first end
Material

Aluminum alloy 2024

NSN 3020-00-944-6815 Spur Gear - Page 2 of 2

Fiig: A27300



Material Specification:
Qq-a-225/6, t351 federal specification single material response
Surface Treatment:
Passivate
Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No