# NSN 3020-00-945-3667

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-945-3667

# **Body Style:**

Plain, solid

**Pitch Diameter:** 

2.3440 inches

# Teeth Quantity:

150

# Bore Style:

Plain both ends

# Backlash Designation:

Grade c

# **Outside Diameter:**

2.375 inches

#### Tooth Form:

Standard

# Pressure Angle:

20.0000 degrees

# **Distance Between Body Face And Protruding Hub End:**

0.218 inches first end

# Face Width:

0.125 inches

# Bore Diameter:

0.250 inches both ends

# Hub Style Designator:

Pinned first end

# Hub Diameter:

0.437 inches first end

#### **Precision Classification:**

Quality number 10

#### Material:

Aluminum alloy 2024

#### **Material Specification:**

Qq-a-225/6, t4 federal specification single material response

#### **Surface Treatment:**

Anodize

#### **Surface Treatment Specification:**

Mil-a-8625, type 2 military specification single treatment response

# Style Designator:

Protruding hub

# **Furnished Items And Quantity:**

1 setscrew

# Shelf Life:

N/a

# NSN 3020-00-945-3667

Spur Gear - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.

