NSN 3020-00-948-5148

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-948-5148 **Body Style:** Plain, solid Pitch Diameter: Between 1.3730 inches and 1.3750 inches **Teeth Quantity:** 66 **Bore Style:** 10a w/ keyway both ends Hardness Rating: 45.0 rockwell c **Outside Diameter:** 1.398 inches **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.063 inches first end **Face Width:** 0.187 inches **Bore Diameter:** 0.2504 inches both ends **Keyway Width:** 0.064 inches both ends **Distance From Bore Center To Keyway Bottom:** 0.1641 inches both ends **Hub Style Designator:** Plain first end **Hub Diameter:** 0.375 inches first end Material: Steel comp 4620 **Material Specification:** Mil-s-7493, comp 4620 military specification single material response **Surface Treatment:** Phosphate

riospilate
Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

NSN 3020-00-948-5148

Spur Gear - Page 2 of 2



Fiig:

A27300

Mil-std (military Standard):

Mil-s-7493 spec.