NSN 3020-00-950-7615

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-950-7615

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
0.7969 inches
Teeth Quantity:
51
Bore Style:
W/counterbore both ends
Backlash Designation:
Grade e
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Mounting Hole Thready Qty Per Inch (tpi):
40 transversely through hub, first end
Mounting Hole Type And Quantity:
1 threaded transversely through hub, first end
Nominallength:
0.312 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.156 inches first end
Face Width:
0.156 inches
Bore Diameter:
0.188 inches both ends
Counterbore Diameter:
0.625 inches second end
Hub Diameter:
0.375 inches first end
Precision Classification:
Quality number 12
Material:
Steel comp 303
Material Specification:
Qq-s-763, class 303, cond a federal specification single material response
Surface Treatment:
Passivate

NSN 3020-00-950-7615

Spur Gear - Page 2 of 2



•	_		
Style	De:	sıar	nator:
,		9.9.	

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300