NSN 3020-00-950-9994

Flat Pulley - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-950-9994

Counterbore Diameter:
0.251 inches
Counterbore Depth:
0.250 inches
Outside Diameter:
1.375 inches
Overall Length:
0.508 inches
Outside Diameter:
1.375 inches
Thread Size:
6-40 thd size
Bore Diameter:
0.187 inches
Bore Length:
0.508 inches
Flange Width:
0.062 inches
Pitch Diameter:
1.250 inches
Flange Quantity:
2
Securing Hole Quantity:
3
Material And Location:
Steel
Face Width:
0.250 inches
Design Form:
Plain
Bore Type:
Straight
Bearings:
Not included
Counterbore Feature:
Included
Counterbore Location:
Aa end
Hole Location:
Two holes located 90 degrees apart on one end of hub, one hole located on tope of other end of hub
Keying Facility:

NSN 3020-00-950-9994 Flat Pulley - Page 2 of 2



Securing Method:
Threaded hole
Split Hub Feature:
Not included
Lightening Hole:
Not included
Integral Cooling Vane:
Not included
Crown Face:
Not included
Rim Type:
Solid
Flange Location:
Outside
Bore Feature:
Included
Securing Location:
Aa end
Hub End Outside Diameter And Location:
0.500 inches aa end and 0.374 inches bb end
Distance From Outside Flange/rim To Hub End And Location:
0.218 inches aa end and 0.040 inches bb end
Style Designator:
Plain
Fsc Application Data:
1. Radio sets, radio, except navigation and types, nonairborne
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T353-a