NSN 3020-00-954-0727



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-954-0727 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 1.6666 inches **Teeth Quantity:** 80 **Bore Style:** Plain both ends **Backlash Designation:** Grade c **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 32 transversely through hub, first end **Mounting Hole Thread Size:** 0.138 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter:** 1.708 inches Nominallength: 0.437 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees Distance Between Body Face And Protruding Hub End: 0.250 inches first end **Face Width:** 0.187 inches **Bore Diameter:** 0.250 inches both ends **Hub Style Designator:** Pinned first end **Hub Diameter:** 0.500 inches first end

Precision Classification: Quality number 10

Material:

Plastic polyhexamethylene amide

NSN 3020-00-954-0727

Spur Gear - Page 2 of 2



Material Specification:
Mil-m-20693, type 1 military specification single material response
Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

Mil-std (military Standard):

Mil-m-20693 spec.

A27300