NSN 3020-00-954-5529

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-954-5529

- 1.625 inches
- **Overall Length:**
- 0.750 inches

Key Width:

0.125 inches

Bore Diameter:

- 0.500 inches
- Bore Length:
- 0.750 inches

Distance From Center Of Bore To Top Of Key:

- 0.063 inches
- Pitch Diameter:
- 1.500 inches

Furnished Items And Quantity:

- Setscrew, 1
- Face Width:
- 0.188 inches
- **Design Form:**
- Plain
- Bore Type:
- Straight
- Metallic Hardness Rating And Location:
- 36.0 rockwell c body and 40.0 rockwell c body
- **Counterbore Feature:**
- Not included
- **Keying Facility:**
- Not included
- Keying Facility Type:
- Integral key
- Securing Method:
- Setscrew
- Lightening Hole:
- Not included
- Protruding Hub Characteristic:
- Grooved
- Groove/step Location:
- Aa end
- Securing Location:
- Aa end
- Belt/chain/film Size For Which Designed:
- Roller chain

NSN 3020-00-954-5529

Sprocket Wheel - Page 2 of 2



Roller Chain Pitch Type For Which Designed: Single pitch **Teeth Row Quantity:** 1 Teeth Quantity Per Row: 12 Asa Standard Chain Number: 35 Hardness Rating Test Method: Rockwell **Teeth Hardness Rating:** Between 36.0 rockwell c and 40.0 rockwell c **Bore Bearing:** Not included Hub External Keyway: Not included **Tooth Pitch:** 0.375 inches Hub End Outside Diameter And Location: 1.188 inches aa end Distance From Outside Flange/rim To Hub End And Location: 0.562 inches aa end Material: Steel Material: Steel Quantity: 1 Surface Treatment: Passivate **Style Designator:** Plain Surface Treatment: Passivated Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig:

T353-c