NSN 3020-00-954-5529



Sprocket Wheel - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-954-5529 **Outside Diameter:** 1.625 inches **Overall Length:** 0.750 inches **Key Width:** 0.125 inches **Bore Diameter:** 0.500 inches **Bore Length:** 0.750 inches **Distance From Center Of Bore To Top Of Key:** 0.063 inches Pitch Diameter: 1.500 inches **Furnished Items And Quantity:** Setscrew, 1 **Face Width:** 0.188 inches **Design Form:** Plain **Bore Type:** Straight **Metallic Hardness Rating And Location:** 36.0 rockwell c body and 40.0 rockwell c body **Counterbore Feature:** Not included **Keying Facility:** Not included **Keying Facility Type:** Integral key

-
Securing Method:
Setscrew
Lightening Hole:
Not included
Protruding Hub Characteristic:
Grooved
Groove/step Location:
Aa end
Securing Location:
Aa end
Belt/chain/film Size For Which Designed:
Roller chain

NSN 3020-00-954-5529 Sprocket Wheel - Page 2 of 2



Roller Chain Pitch Type For Which Designed:
Single pitch
Teeth Row Quantity:
1
Teeth Quantity Per Row:
12
Asa Standard Chain Number:
35
Hardness Rating Test Method:
Rockwell
Teeth Hardness Rating:
Between 36.0 rockwell c and 40.0 rockwell c
Bore Bearing:
Not included
Hub External Keyway:
Not included
Tooth Pitch:
0.375 inches
Hub End Outside Diameter And Location:
1.188 inches aa end
Distance From Outside Flange/rim To Hub End And Location:
0.562 inches aa end
Material:
Steel
Material:
Steel
Quantity:
1
Surface Treatment:
Passivate
Style Designator:
Plain
Surface Treatment:
Passivated
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
Т353-с