NSN 3020-00-957-4362

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-957-4362 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: Between 1.2847 inches and 1.2857 inches **Teeth Quantity:** 18 **Bore Style:** Plain both ends **Backlash Designation:** Grade c **Hardness Rating:** 65.0 rockwell c **Mounting Hole Type And Quantity:** 4 plain axially through body, first end **Outside Diameter:** 1.427 inches **Tooth Form:** Standard Pressure Angle: 20.0000 degrees **Face Width:** 0.125 inches **Bore Diameter:** 0.312 inches both ends **Precision Classification:** Quality number 10 or quality number 11 **Mounting Hole Diameter:** 0.098 inches axially through body, first end **Bolt Hole Circle Diameter:** 0.500 inches axially through body, first end **Special Features:** O.098 in. Diameter holes spaced 90 degrees apart, 0.062 diameter hole located 45 degrees from adjacent holes Material: Steel comp 303 **Material Specification:** Qq-s-764, type 303, cond a federal specification single material response

Surface Treatment:

Passivate

Style Designator:

Hubless

NSN 3020-00-957-4362

Spur Gear - Page 2 of 2



-				
٠.	hΔ	Iŧ.	ife:	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300