NSN 3020-00-964-2782

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-964-2782

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
1.5000 inches
Teeth Quantity:
180
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc axially through flange
Mounting Hole Thready Qty Per Inch (tpi):
56 axially through flange
Mounting Hole Thread Size:
0.086 inches axially through flange
Mounting Hole Type And Quantity:
2 threaded axially through flange and 2 threaded axially through flange
Outside Diameter:
1.5158 inches
Tooth Form:
Standard
Flange Diameter:
0.500 inches
Pressure Angle:
14.5000 degrees
Flange Thickness:
0.160 inches
Distance Between Body Face And Protruding Hub End:
0.162 inches first end
Face Width:
0.100 inches
Bore Diameter:
0.120 inches both ends
Distance Between Outer Body Face And Inner Flange Face:
0.162 inches
Precision Classification:
Quality number 12
Mounting Hole Diameter:
0.094 inches axially through flange
Bolt Hole Circle Diameter:

0.250 inches axially through flange

NSN 3020-00-964-2782

Spur Gear - Page 2 of 2

Fiig: A27300



Material:
Aluminum alloy 6061
Material Specification:
Qq-a-225/8, t651 federal specification single material response
Style Designator:
Flanged end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No