## NSN 3020-00-964-6224

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-964-6224

**Body Style:** Plain, solid **Attachment Method:** Mounting hole **Pitch Diameter:** 0.9330 inches **Teeth Quantity:** 112 **Bore Style:** Plain both ends Mounting Hole Thread Series Designator: Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 72 transversely through hub, first end Mounting Hole Thread Size: 0.073 inches transversely through hub, first end Mounting Hole Type And Quantity: 2 threaded transversely through hub, first end **Outside Diameter:** 0.950 inches Nominallength: 0.220 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.160 inches first end Face Width: 0.060 inches **Bore Diameter:** 0.120 inches both ends Hub Style Designator: Pinned first end **Hub Diameter:** 0.380 inches first end **Precision Classification:** Quality number 10 or quality number 11 Material: Steel comp 303 **Material Specification:** 

Qq-s-763, class 303, cond a federal specification single material response

## NSN 3020-00-964-6224

Spur Gear - Page 2 of 2

Surface Treatment:

Passivate

Style Designator:

Protruding hub

Shelf Life:

N/a

## Unit Of Measure:

---

## Demilitarization:

No

Fiig:

A27300

