## NSN 3020-00-968-4329

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-968-4329

Body Style:				
Plain, solid				
Pitch Diameter:				
1.7708 inches				
Teeth Quantity:				
170				
Bore Style:				
Plain both ends				
Backlash Designation:				
Grade c				
Outside Diameter:				
1.791 inches				
Tooth Form:				
Standard				
Pressure Angle:				
20.0000 degrees				
Distance Between Body Face And Protruding Hub End:				
0.156 inches first end				
Face Width:				
0.093 inches				
Bore Diameter:				
0.125 inches both ends				
Hub Style Designator:				
Pinned first end				
Hub Diameter:				
0.250 inches first end				
Precision Classification:				
Quality number 10				
Material:				
Aluminum alloy 2024				
Material Specification:				
Qq-a-225/6, t4 federal specification single material response				
Surface Treatment:				
Anodize				
Surface Treatment Specification:				
Mil-a-8625 military specification single treatment response				
Style Designator:				
Protruding hub				
Furnished Items And Quantity:				
1 setscrew				
Shelf Life:				
N/a				

## NSN 3020-00-968-4329

Spur Gear - Page 2 of 2



ι	Jnit	Of	Measure:
•	,,,,,	•	moudai c.

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.