## NSN 3020-00-968-7362



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-968-7362 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 10.7500 inches **Teeth Quantity:** 344 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc axially through body, first end Mounting Hole Thready Qty Per Inch (tpi): 40 axially through body, first end **Mounting Hole Thread Size:** 0.112 inches axially through body, first end **Mounting Hole Type And Quantity:** 8 threaded axially through body, first end **Outside Diameter:** 10.811 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Face Width:** 0.188 inches **Bore Diameter:** 9.812 inches both ends **Precision Classification:** Quality number 13 or quality number 14 **Bolt Hole Circle Diameter:** 10.124 inches axially through body, first end

Material:

Aluminum alloy 2024

**Material Specification:** 

Qq-a-225/6, t6 federal specification single material response

**Surface Treatment:** 

Anodize

**Surface Treatment Specification:** 

Mil-a-8625, type 2 military specification single treatment response

**Style Designator:** 

Hubless

## NSN 3020-00-968-7362

Spur Gear - Page 2 of 2



Shelf	Life:
N/a	

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.