## NSN 3020-00-968-7713



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-968-7713 **Body Style:** Plain, solid **Attachment Method:** Clamp Pitch Diameter: 2.8125 inches **Teeth Quantity:** 180 **Bore Style:** Plain both ends **Outside Diameter:** 2.844 inches **Tooth Form:** Standard

Pressure Angle: 20.0000 degrees

Distance Between Body Face And Protruding Hub End:

0.280 inches first end

**Face Width:** 

0.115 inches

**Bore Diameter:** 

0.250 inches both ends

**Hub Style Designator:** 

Split first end

**Hub Diameter:** 

0.312 inches first end

**Clamping Surface Length:** 

0.250 inches first end

**Precision Classification:** 

Quality number 10 or quality number 11

Material:

Aluminum alloy 2024

**Material Specification:** 

Qq-a-225/6, t4 federal specification single material response

**Surface Treatment:** 

Anodize

**Surface Treatment Specification:** 

Mil-a-8625 military specification single treatment response

**Style Designator:** 

Protruding hub

Shelf Life:

N/a

## NSN 3020-00-968-7713

Spur Gear - Page 2 of 2



	ι	Jn	it	Of	Measure:
--	---	----	----	----	----------

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.