## NSN 3020-00-971-4696



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-971-4696 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: Between 0.5615 inches and 0.5625 inches **Teeth Quantity:** 36 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 40 transversely through hub, first end **Mounting Hole Thread Size:** 0.112 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter:** 0.593 inches Nominallength: 0.343 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.218 inches first end **Face Width:** 0.125 inches

**Bore Diameter:** 0.187 inches both ends **Hub Style Designator:** 1 step first end **End Length:** 0.020 inches first end **End Diameter:** 0.234 inches first end First Step Length: 0.198 inches first end First Step Diameter: 0.375 inches first end

## NSN 3020-00-971-4696

Spur Gear - Page 2 of 2

**Fiig:** A27300



Special Features:
Setscrew centered 0.109 in.From end of hub
Material:
Aluminum alloy 2024
Material Specification:
Qq-a-225/6, t351 federal specification single material response
Surface Treatment:
Anodize
Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No