NSN 3020-00-971-9669

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-971-9669

Body Style:

Webbed, offset, with lightening holes

Attachment Method:

Mounting hole

End Application:

Apn147

Pitch Diameter:

1.8750 inches

Teeth Quantity:

180

Bore Style:

Plain both ends

Mounting Hole Thread Series Designator:

Unc transversely through hub, first end

Mounting Hole Thready Qty Per Inch (tpi):

56 transversely through hub, first end

Mounting Hole Thread Size:

0.086 inches transversely through hub, first end

Mounting Hole Type And Quantity:

1 plain transversely through hub, first end and 1 threaded transversely through hub, first end

Outside Diameter:

1.896 inches

Nominallength:

0.250 inches

Tooth Form:

Standard

Pressure Angle:

20.0000 degrees

Distance Between Body Face And Protruding Hub End:

0.125 inches first end

Face Width:

0.125 inches

Bore Diameter:

0.125 inches both ends

Hub Style Designator:

Plain first end

Hub Diameter:

0.375 inches first end

Mounting Hole Diameter:

0.029 inches transversely through hub, first end

Material:

Aluminum alloy 2024

NSN 3020-00-971-9669

Spur Gear - Page 2 of 2



Material Specification: Qq-a-250/4 federal specification single material response Surface Treatment: Anodize Surface Treatment Specification: Mil-a-8625 military specification single treatment response Style Designator: Protruding hub, recessed body Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A27300 Mil-std (military Standard): Mil-a-8625 spec.