NSN 3020-00-972-1986

Spur Antibacklash Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-972-1986 **Attachment Method:** Mounting hole Pitch Diameter: 1.2500 inches **Teeth Quantity:** 60 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end **Mounting Hole Thread Size:** 0.086 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter:** 1.2920 inches Nominallength: 0.297 inches **Tooth Form:** Standard Pressure Angle: 14.5000 degrees Distance Between Body Face And Protruding Hub End: 0.210 inches first end **Face Width:** 0.062 inches **Bore Diameter:** 0.121 inches both ends **Hub Style Designator:** Pinned first end **Hub Diameter:** 0.375 inches first end **Precision Classification:** Quality number 8 Material: Steel comp 302 **Material Specification:** Qq-s-766 federal specification single material response **Surface Treatment: Passivate**

Style Designator: Protruding hub

NSN 3020-00-972-1986

Spur Antibacklash Gear - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300