NSN 3020-00-973-9719

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-973-9719

| Body Style: |
|--|
| Plain, solid |
| Pitch Diameter: |
| 0.5090 inches |
| Teeth Quantity: |
| 48 |
| Bore Style: |
| 10d w/ 4 keyways both ends |
| Outside Diameter: |
| 0.521 inches |
| Nominallength: |
| 0.312 inches |
| Tooth Form: |
| Standard |
| Pressure Angle: |
| 20.0000 degrees |
| Distance Between Body Face And Protruding Hub End: |
| 0.218 inches first end |
| Face Width: |
| 0.094 inches |
| Bore Diameter: |
| 0.125 inches both ends |
| Keyway Width: |
| 0.0150 inches both ends |
| Distance From Bore Center To Keyway Bottom: |
| 0.096 inches both ends |
| Hub Style Designator: |
| Plain first end |
| Hub Diameter: |
| 0.192 inches first end |
| Material: |
| Copper alloy 642 |
| Material Specification: |
| Qq-c-465, alloy 642 federal specification single material response |
| Surface Treatment: |
| Passivate |
| Style Designator: |
| Protruding hub |
| Shelf Life: |
| N/a |
| Unit Of Measure: |

--

NSN 3020-00-973-9719

Spur Gear - Page 2 of 2



Demilitarization:

No

Fiig:

A27300