NSN 3020-00-976-1044

Helical Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-976-1044 **Body Style:** Webbed, offset, solid **Attachment Method:** Mounting hole Pitch Diameter: 11.6250 inches **Teeth Quantity:** 93 **Bore Style:** Tapered w/keyway first end **Mounting Hole Thread Series Designator:** Unc axially through body, first end Hardness Rating: 285.0 brinell standard and 325.0 brinell standard **Mounting Hole Thread Size:** 0.750 inches axially through body, first end **Mounting Hole Type And Quantity:** 2 threaded axially through body, first end **Outside Diameter:** 11.842 inches Teeth Type: Single helix **Tooth Form:** Standard **Tooth Direction:** Left **Helix Angle:** 30.0483 degrees Distance Between Body Face And Protruding Hub End: 0.500 inches first end **Body Recess Depth:** 0.875 inches second end **Face Width:** 2.750 inches **Keyway Width:** 0.050 inches first end **Distance From Bore Center To Keyway Bottom:** 1.503 inches first end **Taper Major Diameter:** 2.243 inches first end **Hub Style Designator:**

1 step first end

NSN 3020-00-976-1044 Helical Gear - Page 2 of 2



End Length:
2.250 inches first end
End Diameter:
2.755 inches first end
First Step Length:
0.250 inches first end
First Step Diameter:
4.250 inches first end
Bolt Hole Circle Diameter:
6.750 inches axially through body, first end
Material:
Steel
Material Specification:
Mil-s-19434, class5 military specification single material response
Style Designator:
Protruding hub, recessed body
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A27300
Mil-std (military Standard):
Mil-s-19434 spec.