NSN 3020-00-984-7629

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-984-7629 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 0.7500 inches **Teeth Quantity:** 72 **Bore Style:** W/counterbore both ends **Mounting Hole Thread Series Designator:** Unf axially through body, first end **Mounting Hole Thread Size:** 0.060 inches axially through body, first end **Mounting Hole Type And Quantity:** 3 threaded axially through body, first end **Outside Diameter:** 0.770 inches **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.030 inches first end **Face Width:** 0.050 inches **Bore Diameter:** 0.250 inches both ends **Counterbore Depth:** 0.023 inches first end **Counterbore Diameter:** 0.300 inches first end **Hub Style Designator:** Plain first end **Hub Diameter:** 0.625 inches first end **Bolt Hole Circle Diameter:** 0.437 inches axially through body, first end Material: Steel comp 416 **Material Specification:** Qq-s-763, cond t federal specification single material response

Surface Treatment:

Passivate

NSN 3020-00-984-7629

Spur Gear - Page 2 of 2



Ctv/la	n Da	eian	ator:
OLYN	- 00	əiyii	atoi.

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300