## NSN 3020-00-988-6910

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-988-6910

Body Style:
Plain, solid
Pitch Diameter:
1.6250 inches
Teeth Quantity:
78
Bore Style:
Plain both ends
Backlash Designation:
Grade c
Outside Diameter:
1.667 inches
Nominallength:
0.312 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.212 inches first end
Face Width:
0.100 inches
Bore Diameter:
0.188 inches both ends
Hub Style Designator:
Plain first end
Hub Diameter:
0.375 inches first end
Precision Classification:
Quality number 10 or quality number 11
Special Features:
Block, stop rivetted to body
Material:
Aluminum alloy 2024
Material Specification:
Qq-a-225/6, t4 federal specification single material response
Surface Treatment:
Anodize
Surface Treatment Specification:
Mil-a-8625, type 1 military specification single treatment response

**Style Designator:** Protruding hub

## NSN 3020-00-988-6910

Spur Gear - Page 2 of 2



Shelf L	ife:
---------	------

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.