

View Online at <https://aerobasegroup.com/nsn/3020-00-989-3739>

Groove Depth:

0.195 inches

Groove Width:

0.200 inches

Outside Diameter:

4.430 inches

Overall Length:

2.688 inches

Bolt Circle Diameter:

1.875 inches

Thread Size:

0.250-18

Bore Diameter:

0.625 inches

Bore Length:

1.438 inches

V Groove Angle In Deg:

45.0

Securing Hole Quantity:

4

Material And Location:

Aluminum alloy

Face Width:

1.514 inches

Design Form:

Spoked

Bore Type:

Straight

Bearings:

Not included

Groove Quantity:

3

Counterbore Feature:

Not included

Hole Location:

90 degrees apart

Keying Facility:

Not included

Securing Method:

Threaded hole

Split Hub Feature:

Not included

Web/spoke Relationship To Face Centerline:

Not offset

Lightening Hole:

Not included

Integral Cooling Vane:

Not included

Groove Shape:

V

Bore Feature:

Included

Protruding Hub Characteristic:

Stepped

Securing Location:

Pulley surface

Hub End Outside Diameter And Location:

1.438 inches aa end and 0.625 inches bb end

Distance From Outside Flange/rim To Hub End And Location:

0.655 inches aa end and 0.518 inches bb end

First Step Face Largest Diameter And Location:

2.312 inches aa end and 4.125 inches bb end

Second Step Face Largest Diameter And Location:

4.125 inches aa end

First Step Length And Location:

0.125 inches aa end and 0.318 inches bb end

Third Step Length And Location:

0.218 inches aa end

Hub End Outside Diameter And Location:

1.438 inches aa end and 0.625 inches bb end

Style Designator:

Webbed or spoked

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T353-a