NSN 3020-00-989-8456

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-989-8456

Body Style:					
Plain, solid					
Attachment Method:					
Mounting hole					
Pitch Diameter:					
0.2810 inches					
Teeth Quantity:					
18					
Bore Style:					
Plain both ends					
Backlash Designation:					
Grade c					
Mounting Hole Thread Series Designator:					
Unc transversely through hub, first end					
Mounting Hole Thread Size:					
0.086 inches transversely through hub, first end					
Mounting Hole Type And Quantity:					
2 threaded transversely through hub, first end					
Outside Diameter:					
0.313 inches					
Tooth Form:					
Standard					
Pressure Angle:					
20.0000 degrees					
Distance Between Body Face And Protruding Hub End:					
0.219 inches first end					
Face Width:					
0.062 inches					
Bore Diameter:					
0.125 inches both ends					
Hub Style Designator:					
1 groove first end					
Hub Diameter:					
0.250 inches first end					
Precision Classification:					
Quality number 10 or quality number 11					
First Groove Width:					
0.032 inches first end					
First Groove Diameter:					
0.218 inches first end					
Distance From End To First Groove:					

0.187 inches first end

NSN 3020-00-989-8456

Spur Gear - Page 2 of 2



M	lat	Or	וכו	

Copper alloy

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300