## NSN 3020-00-990-6548

Groove Pulley - Page 1 of 2

**Counterbore Diameter:** 

**Counterbore Depth:** 

1.0625 inches



View Online at https://aerobasegroup.com/nsn/3020-00-990-6548

0.719 inches
Groove Depth:
0.563 inches
Groove Width:
0.5005 inches
Outside Diameter:
4.651 inches
Overall Length:
3.031 inches
Thread Size:
5/16 - 18
Bore Diameter:
0.7447 inches
Bore Length:
1.750 inches
V Groove Angle In Deg:
36.0
Pitch Diameter:
Between 3.625 inches and 4.313 inches
Securing Hole Quantity:
4
Material And Location:
Iron
Face Width:
0.750 inches
Design Form:
Webbed
Bore Type:
Straight
Bearings:
Not included  Creave Quantitus
Groove Quantity:
Counterbore Feature:
Included
Counterbore Location:
Bb end
Hole Location:
Two holes on top and bottom of bore, spaced 1.500 in. On 2.00 in. Diameter bolt circle
The field of top and bettern of bore, spaced 1.000 in. On 2.00 in. Diameter built clide

## **NSN 3020-00-990-6548** Groove Pulley - Page 2 of 2



Keying Facility:
Not included
Securing Method:
Threaded hole
Split Hub Feature:
Not included
Web/spoke Relationship To Face Centerline:
Offset
Lightening Hole:
Not included
Integral Cooling Vane:
Not included
Groove Shape:
V
Bore Feature:
Included
Securing Location:
Securing Location: Bb end
-
Bb end
Bb end  Hub End Outside Diameter And Location:
Bb end  Hub End Outside Diameter And Location:  1.313 inches aa end and 3.000 inches bb end
Bb end  Hub End Outside Diameter And Location:  1.313 inches aa end and 3.000 inches bb end  Distance From Outside Flange/rim To Hub End And Location:
Bb end  Hub End Outside Diameter And Location:  1.313 inches aa end and 3.000 inches bb end  Distance From Outside Flange/rim To Hub End And Location:  1.281 inches aa end and 2.281 inches bb end
Bb end  Hub End Outside Diameter And Location:  1.313 inches aa end and 3.000 inches bb end  Distance From Outside Flange/rim To Hub End And Location:  1.281 inches aa end and 2.281 inches bb end  Style Designator:
Bb end  Hub End Outside Diameter And Location:  1.313 inches aa end and 3.000 inches bb end  Distance From Outside Flange/rim To Hub End And Location:  1.281 inches aa end and 2.281 inches bb end  Style Designator:  Webbed or spoked
Bb end  Hub End Outside Diameter And Location:  1.313 inches aa end and 3.000 inches bb end  Distance From Outside Flange/rim To Hub End And Location:  1.281 inches aa end and 2.281 inches bb end  Style Designator:  Webbed or spoked  Shelf Life:
Bb end  Hub End Outside Diameter And Location:  1.313 inches aa end and 3.000 inches bb end  Distance From Outside Flange/rim To Hub End And Location:  1.281 inches aa end and 2.281 inches bb end  Style Designator:  Webbed or spoked  Shelf Life:  N/a
Bb end  Hub End Outside Diameter And Location:  1.313 inches aa end and 3.000 inches bb end  Distance From Outside Flange/rim To Hub End And Location:  1.281 inches aa end and 2.281 inches bb end  Style Designator:  Webbed or spoked  Shelf Life:  N/a
Bb end  Hub End Outside Diameter And Location:  1.313 inches aa end and 3.000 inches bb end  Distance From Outside Flange/rim To Hub End And Location:  1.281 inches aa end and 2.281 inches bb end  Style Designator:  Webbed or spoked  Shelf Life:  N/a  Unit Of Measure:
Bb end  Hub End Outside Diameter And Location:  1.313 inches aa end and 3.000 inches bb end  Distance From Outside Flange/rim To Hub End And Location:  1.281 inches aa end and 2.281 inches bb end  Style Designator:  Webbed or spoked  Shelf Life:  N/a  Unit Of Measure:   Demilitarization: