NSN 3020-00-991-3472

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-991-3472

Body Style:
Webbed, offset, solid
Attachment Method:
Clamp
Pitch Diameter:
1.1875 inches
Teeth Quantity:
57
Bore Style:
Plain both ends
Backlash Designation:
Grade c
Outside Diameter:
1.2291 inches
Nominallength:
0.444 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.500 inches second end
Face Width:
0.250 inches
Bore Diameter:
0.250 inches both ends
Hub Style Designator:
Split first end
Hub Diameter:
0.500 inches second end
Clamping Surface Length:
1.154 inches first end
Precision Classification:
Quality number 10 or quality number 11
Material:
Aluminum alloy 2024
Material Specification:
Qq-a-225/6, t4 federal specification single material response
Surface Treatment:
Chromium
Surface Treatment Specification:

Mil-f-14072 military specification single treatment response

NSN 3020-00-991-3472

Spur Gear - Page 2 of 2



Style Designator:
Protruding hubs
Shelf Life:
N/a
Unit Of Measure:
 Demilitarization:
Demilitarization:

Mil-std (military Standard):

Mil-f-14072 spec.