## NSN 3020-00-993-5322

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-993-5322

D. I. O. I.
Body Style:
Plain, solid
Spline Quantity: 27 both ends
Attachment Method:
Mounting hole
Pitch Diameter:
5.2500 inches
Teeth Quantity:
21
Bore Style:
Involute spline both ends
Spline Pitch Diameter:
1.6870 inches both ends
Mounting Hole Thread Series Designator:
Unc axially through body, first end
Mounting Hole Thready Qty Per Inch (tpi):
13 axially through body, first end
Hardness Rating:
23.0 rockwell c body and 30.0 rockwell c body
Mounting Hole Thread Size:
0.500 inches axially through body, first end
Mounting Hole Type And Quantity:
4 threaded axially through body, first end
Outside Diameter:
5.750 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Face Width:
1.375 inches
Bore Diameter:
1.656 inches both ends
Bolt Hole Circle Diameter:
3.375 inches axially through body, first end
Material:
Steel
Material Specification:
Mil-s-890, cl hg military specification single material response
Style Designator:
Hubless

## NSN 3020-00-993-5322

Spur Gear - Page 2 of 2



N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
A27300	

Mil-std (military Standard):

Mil-s-890 spec.

Shelf Life: