## NSN 3020-00-994-2697

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-994-2697

| Outside Diameter:                           |
|---|
| 1.575 inches                                |
| Overall Length:                             |
| 0.370 inches                                |
| Bore Diameter:                              |
| 0.250 inches                                |
| Bore Length:                                |
| 0.370 inches                                |
| Drilled Hole Diameter:                      |
| 0.750 inches                                |
| Pitch Diameter:                             |
| 1.440 inches                                |
| Securing Hole Quantity:                     |
| 2   |
| Face Width:                                 |
| 0.118 inches                                |
| Design Form:                                |
| Plain                                       |
| Bore Type:                                  |
| Straight                                    |
| Counterbore Feature:                        |
| Not included                                |
| Hole Location:                              |
| On hub between hub end and gear face        |
| Keying Facility:                            |
| Not included                                |
| Securing Method:                            |
| Drilled hole                                |
| Lightening Hole:                            |
| Not included                                |
| Protruding Hub Characteristic:              |
| Plain                                       |
| Belt/chain/film Size For Which Designed:    |
| Roller chain                                |
| Roller Chain Pitch Type For Which Designed: |
| Single pitch                                |
| Teeth Row Quantity:                         |
| 1   |
| Teeth Quantity Per Row:                     |
| 18  |
| Asa Standard Chain Number                   |

25

## **NSN 3020-00-994-2697** Sprocket Wheel - Page 2 of 2



| Hardness Rating Test Method:                              |
|---|
| Not rated   |
| Bore Bearing:   |
| Not included  |
| Hub External Keyway:                                      |
| Not included  |
| Tooth Pitch:  |
| 0.250 inches  |
| Hub End Outside Diameter And Location:                    |
| 1.125 inches aa end                                       |
| Distance From Outside Flange/rim To Hub End And Location: |
| 0.252 inches aa end                                       |
| Material:   |
| Steel   |
| Material:   |
| Steel   |
| Surface Treatment:  |
| Cadmium   |
| Style Designator:   |
| Plain   |
| Surface Treatment:  |
| Cadmium   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |
| No  |
| Fiig:   |
| T353-c  |