NSN 3020-00-998-0373

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-998-0373

View Online at https://aerobasegroup.com/nsn/3020-00-998-0373
Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
2.5000 inches
Teeth Quantity:
80
Backlash Designation:
Grade c
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Mounting Hole Thready Qty Per Inch (tpi):
32 transversely through hub, first end
Mounting Hole Type And Quantity:
1 threaded transversely through hub, first end
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.300 inches first end
Face Width:
0.250 inches
Hub Diameter:
0.700 inches first end
Precision Classification:
Quality number 12
Material:
Steel comp 416
Material Specification:
Qq-s-763, class416 federal specification single material response
Surface Treatment:
Passivate
Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

NSN 3020-00-998-0373 Spur Gear - Page 2 of 2

Fiig: A27300

