## NSN 3020-00-998-7828

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-998-7828

## **Body Style:**

Plain, solid

## **Pitch Diameter:**

Between 1.6240 inches and 1.6250 inches

## Teeth Quantity:

130

## Bore Style:

Plain both ends

## **Backlash Designation:**

Grade b

## **Outside Diameter:**

1.649 inches

#### Tooth Form:

Standard

#### Pressure Angle:

20.0000 degrees

## Distance Between Body Face And Protruding Hub End:

0.188 inches first end

## Face Width:

0.125 inches

## Bore Diameter:

0.125 inches both ends

## Hub Style Designator:

Pinned first end

## Hub Diameter:

0.312 inches first end

## **Precision Classification:**

Quality number 10

## **Special Features:**

Mtg holes 90 degs apart

## Material:

Steel comp 303

## Material Specification:

Qq-s-764, type 303 federal specification single material response

## Surface Treatment:

Passivate

## Surface Treatment Specification:

Qq-p-35, type 1 federal specification single treatment response

## Style Designator:

Protruding hub

## **Furnished Items And Quantity:**

1 setscrew

# NSN 3020-00-998-7828

Spur Gear - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A27300

