

View Online at <https://aerobasegroup.com/nsn/3020-00-998-8678>

Body Style:

Plain, solid

Spline Quantity:

12 both ends

Attachment Method:

Mounting hole

Pitch Diameter:

3.8860 inches

Teeth Quantity:

40

Bore Style:

Involute spline both ends

Spline Pitch Diameter:

0.6000 inches both ends

Hardness Rating:

60.0 rockwell c teeth and 63.0 rockwell c teeth

Mounting Hole Type And Quantity:

2 plain axially through body, first end

Outside Diameter:

4.002 inches

Nominallength:

1.938 inches

Teeth Type:

Spiral

Tooth Direction:

Right

Pressure Angle:

20.0000 degrees

Pitch Angle:

45.0000 degrees

Distance Between Body Face And Protruding Hub End:

0.125 inches first end

Face Width:

0.500 inches

Bore Diameter:

0.625 inches both ends

Counterbore Depth:

0.910 inches both ends

Counterbore Diameter:

0.715 inches both ends

Hub Style Designator:

Plain first end

Hub Diameter:

0.985 inches first end

Mounting Hole Diameter:

0.144 inches axially through body, first end

Special Features:

Hub externally threaded, thread diameter 0.938 inch, thread series designator unef, threadquantity type 20 per inch

Material:

Steel comp e9310

Material Specification:

Ams 6260 assn standard single material response

Surface Treatment:

Oxide

Surface Treatment Specification:

Ams 2485 assn standard single treatment response

Style Designator:

Peripheral face, protruding hubs

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300