NSN 3020-00-999-2022

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-999-2022

Outside	Diameter:

2.688 inches

Overall Length:

0.344 inches

Bore Diameter:

0.797 inches

Bore Length:

0.344 inches

Pitch Diameter:

2.550 inches

Face Width:

0.110 inches

Guide:

Not included

Design Form:

Plain

Bore Type:

Straight

Metallic Hardness Rating And Location:

20.0 rockwell c body and 40.0 rockwell c body

Counterbore Feature:

Not included

Keying Facility:

Not included

Lightening Hole:

Included

Protruding Hub Characteristic:

Plain

Belt/chain/film Size For Which Designed:

Roller chain

Roller Chain Pitch Type For Which Designed:

Single pitch

Teeth Row Quantity:

1

Teeth Quantity Per Row:

32

Asa Standard Chain Number:

25

Hardness Rating Test Method:

Rockwell

Teeth Hardness Rating:

Between 20.0 rockwell c and 40.0 rockwell c

NSN 3020-00-999-2022 Sprocket Wheel - Page 2 of 2



Bore Bearing:
Not included
Hub External Keyway:
Not included
Tooth Pitch:
0.250 inches
Hub End Outside Diameter And Location:
0.940 inches both ends
Distance From Outside Flange/rim To Hub End And Location:
0.234 inches both ends
Material:
Steel, qq-s-763, class 410
Material:
Steel comp 410
Material Specification:
Qq-s-763, class 410 federal specification single material response
Surface Treatment:
Passivate
Style Designator:
Plain
Surface Treatment:
Passivated
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Fiig:
Т353-с