## NSN 3020-00-999-2801



Helical Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-999-2801 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 0.5892 inches **Teeth Quantity:** 20 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 40 transversely through hub, first end **Mounting Hole Thread Size:** 0.112 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter:** 0.630 inches Nominallength: 0.406 inches **Teeth Type:** Single helix **Tooth Form:** Standard **Tooth Direction:** Left **Pressure Angle:** 20.0000 degrees **Helix Angle:** 45.0000 degrees Distance Between Body Face And Protruding Hub End: 0.219 inches first end **Face Width:** 0.187 inches **Bore Diameter:** 0.187 inches both ends **Hub Style Designator:** Plain first end

**Hub Diameter:** 

0.343 inches first end

## NSN 3020-00-999-2801

Helical Gear - Page 2 of 2



Material:
Steel comp 303 and steel comp 303se
Material Specification:
Mil-s-7720 military specification 1st material response and mil-s-7720 military specification 2nd material response
Surface Treatment:
Passivate
Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:

A27300

Mil-std (military Standard):

Mil-s-7720 spec.