## NSN 3020-01-003-9158



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-01-003-9158 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: Between 1.6243 inches and 1.6250 inches **Teeth Quantity:** 104 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 32 transversely through hub, first end **Mounting Hole Thread Size:** 0.138 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter:** 1.655 inches Nominallength: 0.375 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.250 inches first end **Face Width:** 0.125 inches **Bore Diameter:** 0.250 inches both ends **Hub Style Designator:** Pinned first end **Hub Diameter:** 0.500 inches first end **Precision Classification:** Quality number 12 Material: Aluminum alloy 2024

**Surface Treatment:** 

Anodize

## NSN 3020-01-003-9158

Spur Gear - Page 2 of 2



Stv	le l	Des	ian	ator:	

Protruding hub

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300