NSN 3020-01-006-5256

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-006-5256 **Body Style:** Webbed, with lightening holes Pitch Diameter: 1.5000 inches **Teeth Quantity:** 48 **Bore Style:** 10a w/ keyway both ends **Features Provided:** Casehardened **Outside Diameter:** 1.5625 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees Distance Between Body Face And Protruding Hub End: 0.208 inches first end **Face Width:** 0.220 inches **Bore Diameter:** 0.4367 inches both ends **Keyway Width:** 0.063 inches both ends **Distance From Bore Center To Keyway Bottom:** 0.260 inches both ends **Hub Style Designator:** Plain both ends **Hub Diameter:** 0.640 inches both ends Material: Steel **Surface Treatment:** Phosphate **Surface Treatment Specification:** Mil-p-16232, type m, class 2 military specification single treatment response **Style Designator:** One protruding hub, one flush hub Shelf Life: N/a

Unit Of Measure:

NSN 3020-01-006-5256

Spur Gear - Page 2 of 2



Demi			

Yes - demil/mli

Fiig:

A27300

Mil-std (military Standard):

Mil-p-16232 spec.