## NSN 3020-01-013-4817

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-013-4817 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 0.2917 inches **Teeth Quantity:** 28 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end **Mounting Hole Thread Size:** 0.086 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 2 plain transversely through hub, first end **Outside Diameter:** 0.3125 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees Distance Between Body Face And Protruding Hub End: 0.1600 inches first end **Face Width:** 0.090 inches **Bore Diameter:** 0.0936 inches both ends **Hub Style Designator:** 1 step first end **End Length:** 0.005 inches first end **End Diameter:** 0.125 inches first end First Step Length: 0.0975 inches first end First Step Diameter: 0.2500 inches first end Material: Steel comp 303

**Material Specification:** 

Qq-s-764, cond a federal specification single material response

## NSN 3020-01-013-4817

Spur Gear - Page 2 of 2

Mil-std (military Standard):

Mil-std-171 spec.



Surface Treatment:
Passivate
Surface Treatment Specification:
Mil-std-171, finish no. 5.4.1 military standard single treatment response
Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A27300