NSN 3020-01-015-0824

Spur Antibacklash Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-015-0824 **Attachment Method:** Clamp **Pitch Diameter:** Between 1.9990 inches and 2.0000 inches **Teeth Quantity:** 192 **Bore Style:** Plain both ends **Outside Diameter:** 2.020 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.281 inches first end **Face Width:** 0.104 inches **Bore Diameter:** 0.125 inches both ends **Hub Style Designator:** Split first end **Hub Diameter:** 0.188 inches first end **Clamping Surface Length:** 0.250 inches first end **Precision Classification:** Quality number 10 Material: Steel comp 303 **Material Specification:** Qq-s-764, cond a federal specification single material response hub **Surface Treatment:** Passivate hub **Surface Treatment Specification:** Qq-p-35, type 1 federal specification single treatment response hub **Style Designator:** Protruding hub Shelf Life:

N/a **Unit Of Measure:**

NSN 3020-01-015-0824

Spur Antibacklash Gear - Page 2 of 2



Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.