## NSN 3020-01-015-3186

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-015-3186 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 0.1666 inches **Teeth Quantity:** 20 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through face Mounting Hole Thready Qty Per Inch (tpi): 56 transversely through face **Mounting Hole Thread Size:** 0.086 inches transversely through face **Mounting Hole Type And Quantity:** 2 threaded axially through body, first end **Outside Diameter:** 0.183 inches **Tooth Form:** Standard Flange Diameter: 0.250 inches **Pressure Angle:** 20.0000 degrees Flange Thickness: 0.150 inches **Face Width:** 0.130 inches **Bore Diameter:** 0.093 inches both ends **Distance Between Outer Body Face And Inner Flange Face:** 0.179 inches **Hub Style Designator:** Plain second end **Hub Diameter: Precision Classification:** 

0.250 inches first end Quality number 10 **First Groove Width:** 

0.060 inches first end

## **NSN 3020-01-015-3186** Spur Gear - Page 2 of 2



First Groove Diameter:
0.130 inches first end
Distance From End To First Groove:
0.150 inches first end
Second Groove Diameter:
0.125 inches first end
Material:
Steel comp 303
Material Specification:
Qq-s-764 federal specification single material response
Surface Treatment:
Passivate
Style Designator:
Flanged end
Shelf Life:
N/a
Unit Of Measure:
- <del>-</del>
Demilitarization:
No
Fiig:
A27300