
NSN 3020-01-017-8593

Groove Pulley - Page 1 of 2





Groove Depth: 1.185 inches Groove Width: 1.416 inches **Outside Diameter:** Between 9.860 inches and 9.900 inches Bore Diameter: Between 1.633 inches and 1.634 inches Bore Length: Between 1.535 inches and 1.540 inches **Groove Radius:** 0.620 inches Material And Location: Nickel copper alloy, qq-n-281, class a, cold drawn Face Width: Between 1.535 inches and 1.540 inches **Design Form:** Webbed Bore Type: Straight **Bearings:** Not included **Groove Quantity:** 1 **Counterbore Feature:** Not included **Keying Facility:** Not included **Securing Method:** Press fit bearing **Split Hub Feature:** Not included Web/spoke Relationship To Face Centerline: Offset **Lightening Hole:** Not included Integral Cooling Vane: Not included Groove Shape: U **Bore Feature:** Included

NSN 3020-01-017-8593

Groove Pulley - Page 2 of 2



Securing Location: Both ends Hub End Outside Diameter And Location: 2.250 inches aa end and 2.255 inches aa end Distance From Outside Flange/rim To Hub End And Location: 0.012 inches aa end and 0.017 inches aa end Style Designator: Webbed or spoked Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: T353-a