NSN 3020-01-019-4058

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-019-4058

Body Style:			
Webbed, with lightening holes			
Spline Quantity:			
16 both ends			
Pitch Diameter:			
4.2000 inches			
Teeth Quantity:			
42			
Bore Style:			
Involute spline both ends			
Spline Pitch Diameter:			
0.8000 inches both ends			
Outside Diameter:			
4.402 inches			
Tooth Form:			
Standard			
Pressure Angle:			
25.0000 degrees			
Distance Between Body Face And Protruding Hub End:			
2.010 inches first end			
Face Width:			
0.470 inches			
Bore Diameter:			
0.892 inches both ends			
Hub Style Designator:			
3 steps first end			
End Length:			
0.960 inches first end			
End Diameter:			
1.819 inches second end			
First Step Length:			
0.480 inches first end			
First Step Diameter:			
1.819 inches first end			
Second Step Length:			
0.180 inches first end			
Second Step Diameter:			
1.370 inches first end			
Third Step Length:			
0.390 inches first end			

Third Step Diameter: 1.250 inches first end

NSN 3020-01-019-4058

Spur Gear - Page 2 of 2



Special	Features:	
---------	-----------	--

Counterbore second end, 0.930 in.Dia, 2.430 in. Deep; plug inserted in counterbore 0.250 in.From hub end

Material:

Steel

Material Specification:

Ams6265 assn standard single material response

Surface Treatment:

Oxide

Style Designator:

Protruding hubs

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A27300