NSN 3020-01-020-3553

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-020-3553

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
1.2500 inches
Teeth Quantity:
80
Bore Style:
Plain both ends
Backlash Designation:
Grade c
Mounting Hole Type And Quantity:
2 plain axially through body, first end
Outside Diameter:
1.281 inches
Nominallength:
0.343 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.218 inches first end
Face Width:
0.125 inches
Bore Diameter:
0.187 inches both ends
Hub Style Designator:
Plain first end
Hub Diameter:
0.375 inches first end
Precision Classification:
Quality number 10
Mounting Hole Diameter:
0.109 inches axially through body, first end
Material:
Aluminum alloy 2024
Material Specification:
Qq-a-268, t4 federal specification single material response
Surface Treatment:
Anodize

NSN 3020-01-020-3553

Spur Gear - Page 2 of 2



Surface Trea	atment Spe	cification:
--------------	------------	-------------

Mil-a-8625, type 1 military specification single treatment response

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.