## NSN 3020-01-021-9466

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-021-9466

Body Style:
Plain, solid
Attachment Method:
Clamp
Pitch Diameter:
1.9375 inches
Teeth Quantity:
124
Bore Style:
Plain both ends
Backlash Designation:
Grade c
Outside Diameter:
1.966 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.186 inches first end
Face Width:
0.095 inches
Bore Diameter:
0.125 inches both ends
Hub Style Designator:
Split first end
Hub Diameter:
0.183 inches first end
Clamping Surface Length:
0.156 inches first end
Precision Classification:
Quality number 10
Material:
Aluminum alloy 6061
Material Specification:
Qq-a-250/11, t6 federal specification single material response
Surface Treatment:
Oxide film hub
Surface Treatment Specification:
Mil-c-5541, type 1, grade 1, class 1 military specification single treatment response hub
Style Designator:

Protruding hub

## NSN 3020-01-021-9466

Spur Gear - Page 2 of 2



N/a
Unit Of Measure:
Demilitarization:
No
Fiia:

Shelf Life:

Mil-std (military Standard):

Mil-c-5541 spec.

A27300